


Program Title Mechanics Leve II

Based on March 30, 2022, Curriculum Version I,



Module Title: Performing CAD Operation

Module Code: IND MCS2 M03 0322

Nominal duration: 80 hours

Prepared By: Ministry of Lobar and Skill

AUGUST, 2022

Addis Ababa, Ethiopia

Acknowledgement

Ministry of Labor and Skills wish to extend thanks and appreciation to the many representatives of TVET instructors and respective industry experts who donated their time and expertise to the development of this Teaching, Training and Learning Materials (TTLM).

Table of Contents

Acknowledgement.....	2
Table of Contents.....	3
Acronyms.....	5
Introduction to the Module	6
Unit one: Drawing Requirements.....	8
1.1. Purpose, scope, information and presentation of drawing requirement	8
1.1.1 Introduction	8
1.1.2. Purpose of Presentation Drawing.....	8
1.2.3 Requirements of Engineering Drawings	9
1.2 Work Requirement.....	10
1.2.1 CAD Operator Responsibilities:.....	10
1.2.2 CAD Operator Requirements:	11
1.2.3 Technical specifications:	11
1.2.4 Design or Product Specification	12
1.2.5 Application Specification	12
1.3. Equipment and Software	12
Self-Check -1	16
Unit Two: Key Features of Cad Software	17
2.1 CAD software and their key futures	17
2.1.1 Purpose of CAD software.....	17
2.1.2 Key features CAD software	17
2.2 2-D drawings, 3-D models in CAD processes.....	19
2.2.1 Two-Dimensional CAD	19
2.2.2 Command of Drawing tool bar.....	25
2.2.3 3D models in CAD processes.....	35
2.3 Peripheral Equipment and Software Programs Compatibility	40
2.3.1 Peripheral Equipment.....	40
Self-Check 2.....	42
Operation Title: Created 3d Cad Drawings	43
LAP Test.....	45
Unit three: Software and Set Up for Drawing Work.....	46

3.1 Opening CAD software	46
3.2 organizational and software templates	48
3.3 symbols, codes and standards	48
Self-Check -3	51
Unit Four. Produce Basic Drawing Element	52
4.1 Basic drawing elements	52
4.2 Editing and transfer tools and methods	52
4.3. Applying Dimensions, text and symbols	57
4.4. Importing and exporting files.....	59
4.5. Generating different views and perspectives	60
Self-Check -4	62
Unit five. Complete CAD operations.....	63
3.1 Saving drawing elements.....	63
5.2. Printing drawing elements	65
ADDITIONAL OPTIONS	65
PRINT FORMATS	67
Self-Check -5	68
Reference	70

Acronyms

CAD: Computer-Aided Design

LAP: Learning Activity performance

TTLM: Teaching, Training and Learning Materials

Introduction to the Module

CAD is the use of computer-based software to aid in design processes. CAD software is frequently used by different types of engineers and designers. CAD software can be used to create two-dimensional (2-D) drawings or three-dimensional (3-D) models. The purpose of CAD is to optimize and streamline the designer's workflow, increase productivity, improve the quality and level of detail in the design, improve documentation communications and often contribute toward a manufacturing design database. CAD software outputs come in the form of electronic files, which are then used accordingly for manufacturing processes. CAD is often used in tandem with digitized manufacturing processes. CAD/CAM (computer-aided design/computer-aided manufacturing) is software used to design products such as electronic circuit boards in computers and other devices

This module is designed to meet the industry requirement under the irrigation and drainage occupational standard, particularly for the unit of competency: **Perform CAD Operation.**

Module unit

- drawing requirements
- key features of CAD software
- software and set up for drawing work
- basic drawing elements
- CAD operations

Learning objectives of the Module. At the end of this session, the students will be able to:

- Confirm drawing requirements
- Identify key features of CAD software
- Access software and set up for drawing work
- Produce basic drawing elements
- Perform CAD operations

Module Learning Instructions:

1. Read the specific objectives of this Learning Guide. Follow the instructions described below.
2. Read the information written in the information Sheets
3. Accomplish the Self-checks
4. Perform Operation Sheets
5. Do the “LAP test”

Unit one: Drawing Requirements

This learning unit is developed to provide the trainees the necessary information regarding the following content coverage and topics:

- Purpose, scope, information and presentation of drawing requirement
- work requirement
- equipment and software

This unit will also assist you to attain the learning outcomes stated in the cover page. Specifically, upon completion of this learning guide, you will be able to:

- Confirm purpose, scope, information and presentation of drawing requirement
- Identify work requirement
- Identify equipment and software

1.1. PURPOSE, SCOPE, INFORMATION AND PRESENTATION OF DRAWING REQUIREMENT

1.1.1 Introduction

Computer-aided design is used in a wide variety of professions. CAD software is used heavily within various architecture, arts and engineering projects. CAD use cases are specific to industry and job functions. Professions that use CAD tools include, but are not limited to: Architects, Engineers, City planners, Graphic designers, Animation illustrators, Drafters, Fashion designers, Interior designers and Exterior designers

1.1.2. Purpose of Presentation Drawing

Purpose The purpose of these requirements is to ensure that plans and drawings submitted to the facilities engineer are complete and contain the required level of detail. These requirements cover preparing plans and drawings associated with excavations (including ground disturbance activities) and related permits and utility location requirements. They apply to persons responsible for those preparing those plans and drawings: the project manager (PM) and field construction manager (FCM) and the utility locator.

1.2.3 Requirements of Engineering Drawings

Engineering drawings need to communicate information that is legally binding by providing a specification. Engineering drawings therefore need to meet the following requirements:

- Engineering drawings should be unambiguous and clear. For any part of a component there must be only one interpretation. If there is more than one interpretation or indeed there is doubt or fuzziness within the one interpretation, the drawing is incomplete because it will not be a true specification.
 - The drawing must be complete. The content of an engineering drawing must provide all the information for that stage of its manufacture. There may be several drawings for several phases of manufacture, e.g. raw shape, bent shape and heat-treated. Although each drawing should be complete in its own right, it may rely on other drawings for complete specification, e.g., detailed drawings and assembly drawings.
 - The drawing must be suitable for duplication. It is a specification which needs to be communicated. The information may be communicated electronically or in a hard copy format. The drawing needs to be of a suitable scale for duplicating and of a sufficient scale such that if is micro-copied it can be suitable magnified without loss of quality.
 - Drawings must be language-independent. Words on a drawing should only be used within the title block or where information of a non-graphical form needs to be given. Thus, there is a trend within ISO to use symbology in place of words.
 - Drawings need to conform to standards. The 'highest' standards are the ISO ones that are applicable worldwide. Alternatively, standards applicable within countries may be used. Company standards are often produced for very specific industries.

1.2 WORK REQUIREMENT

state the requirement clearly, concisely and logically in functional and performance terms unless specific technical requirements are needed for goods, state what the item will be used for

- Contain enough information for offers to decide and cost the goods or services they will offer and at what level of quality
- Permit offered goods or services to be evaluated against defined criteria by examination, trial, test or documentation
- Provide equal opportunity for all potential suppliers to offer goods or services which satisfies the needs of the user, including goods or services incorporating alternative solutions
- Form the fundamental basis of the contract between buyer and seller not over-specify requirements
- Not contain features that directly or indirectly discriminate against people with disability, but allows optimal access and inclusion
- Specifications are agreed upon defined requirements for a product.
- Specifications are a type of Standard defined by a governing body.
- Specifications may have embedded drawings but may focus more on text.

1.2.1 CAD Operator Responsibilities:

- Interpreting project briefs and meeting with clients, engineers, and architects to ensure all blueprints and technical drawings are completed to specifications.
- Producing rough sketches and using CAD software to prepare detailed drawings, plans, and blueprints.
- Visiting sites to gather information, and determine limitations and feasibility of designs.
- Updating software, drawings, and other documents.
- Remaining professional when feedback is delivered, and implementing any changes to drafts as soon as possible.
- Ensuring drawings are compliant with building regulations and engineering principles.
- Communicating potential design issues to engineers and architects.

- Conducting research when required.

1.2.2 CAD Operator Requirements:

- Associate's degree in drafting or similar.
- Additional courses in CAD software.
- Practical experience with CAD software.
- Knowledge of engineering and construction.
- A completed apprenticeship would be advantageous.
- Strong communication skills and attention to detail.
- Superb work ethic and ability to accept feedback.

There are six types of specifications.

1.2.1 Functional specifications:

These are specifications that define the function, duty or role of the goods or services. It nominates what the goods or services are broadly required to do. Functional specifications define the task or desired result by focusing on what is to be achieved rather than how it is to be done. They do not describe the method of achieving the intended result. This enables suppliers to provide solutions to defined problems. For example, a specification for “an accessible device capable of conveying children from their school to their homes” does not limit responses to bus operators alone.

1.2.2 Performance specifications:

These are specifications that define the purpose of the goods or services in terms of how effectively it will perform, that is, in capability or performance terms. Performance is a logical extension of function. Performance specifications define the task or desired result by focusing on what is to be achieved. They do not describe the method of achieving the desired result. This enables suppliers to provide solutions to defined problems. For example, a specification could be written: “An accessible device is required to convey at least 30 children every afternoon of the school week from their school in a safe manner to their homes within a radius of the school of 15 kilometers.

1.2.3 Technical specifications:

Page 11 of 71	Ministry of Labor and Skills Author/Copyright	Preform CAD operation	Version -1 August, 2022
---------------	--	-----------------------	----------------------------

These are specifications that define the technical and physical characteristics and/or measurements of a product, such as physical aspects (for example, dimensions, color, surface finish), design details, material properties, energy requirements, processes, maintenance requirements and operational requirements. They are used when functional and performance characteristics are insufficient to define the requirement.

1.2.4 Design or Product Specification

A design or product specification describes the key points or requirements for a final design not how to achieve it.

1.2.5 Application Specification

Application Specifications provide a sequential presentation of functions that need to be carried out in order to achieve a goal. The key difference between Performance and Application Specifications is that Performance specifications define a goal with no guidance on how this is achieved. Whereas Application Specifications define a step by step set of instructions which lead to a common goal.

1.3. EQUIPMENT AND SOFTWARE

There are a variety of engineering and design jobs that use CAD (computer-aided design software). We often get asked what CAD software companies use. As a busy staffing agency for engineers, and designers we know it depends on the particular industry a company is in. Interested in learning about the best CAD software for engineers, designers, and drafters Keep reading. We list CAD software packages you should consider learning, some of their features, potential career paths, and the industries that create jobs for them.

Popular types of CAD software companies use include SolidWorks, Inventor, Revit, AutoCAD, Civil 3D, MicroStation, CATIA, Creo, and Siemens NX

SolidWorks

As a popular mechanical design software with a large community of users, employers are frequently seeking job seekers with SolidWorks experience. This 3D modeling CAD software is used heavily in the mechanical engineering and design industries. It is the industry standard for product development.

Some features including:

- Product design simulation
- 3D solid modeling
- Product data management
- Cost estimation, manufacturability checks
- Created with ease of use in mind
- Used by mechanical and electrical engineering departments

AutoCAD

One of the oldest and most used CAD software for 2D / 3D drafting & design. It has the ability to create blueprints, equipment layouts, section planes, model documentation, and more. Learning AutoCAD and additional 3D CAD software is a recipe for success.

Some features including:

- 2D drawing, drafting, and annotation
- Extended workflows
- Xrefs and block palettes
- Dynamic blocks
- 3D Mesh, solid and surface modeling

Jobs that use AutoCAD CAD software

- Architects, Architectural designer, and drafter
- Electrical engineer, design and drafter
- Electronics engineer, design and drafter
- Plumbing designer, HVAC designer, MEP designer
- Interior designer
- Industrial engineer
- Manufacturing engineer
- Mechanical engineer, design and drafter
- Structural engineer, designer, and drafter

Industries Use AutoCAD

- Aerospace & Aviation
- Consumer products
- Manufacturing
- Medical Device
- Industrial products
- Oil & Gas
- Civil, Structural, MEP

AutoCAD Hardware Requirements

	Minimum Specs
RAM	8 GB
Video Card	1 GB GPU with 29 GB/s Bandwidth and DirectX 11 compliant
Processor	2.5–2.9 GHz processor
Storage	Hard drive with at least 7GB free




Figure 1 Equipment

Self-Check -1

Directions: Answer all the questions listed below. Use the Answer sheet provided in the next page:

I. choose the correct answer for given alternative (5 point each)

1. Which one of the following is provide a sequential presentation of functions that need to be carried out in order to achieve a goal.

A, production specification B, application specification C, specification of lettering

2. Which one of the following is specifications that define the purpose of the goods or services in terms of how effectively it will perform, that is, in capability or performance terms

A, Performance specifications B, Technical specifications C, Application Specification

3. Which one of the following is describes the key points or requirements for a final design not how to achieve it.

A Product Specification B, production specification C, application specification

II. Answer the following questions (3point each)

1. What is the difference between Performance specifications and Application specifications

2. List at least three types of specifications

3. Explain types of specifications

III. Say true or false (5 point each)

1. Technical and physical characteristics and/or measurements of a product, such as physical aspects (for example, dimensions, color, surface finish), design details, etc.

2. Performance specifications define the task or desired result by focusing on what is to be achieved

3. Uses of an AUTO is drawing by hand much quicker than drawing by cad.

Unit Two: Key Features of Cad Software

This learning unit is developed to provide the trainees the necessary information regarding the following content coverage and topics:

- CAD software and their key futures
- 2-D drawings, 3-D models in CAD processes
- Peripheral equipment and software programs compatibility

This unit will also assist you to attain the learning outcomes stated in the cover page. Specifically, upon completion of this learning guide, you will be able to:

- Describing CAD software and their key futures
- Identifying 2-D drawings, 3-D models in CAD processes
- Identifying peripheral equipment and software programs compatibility

:

2.1 CAD SOFTWARE AND THEIR KEY FUTURES

2.1.1 Purpose of CAD software

Computer-aided design software (CAD software) refers to a type of software program used by designers and engineers to create two-dimensional and three-dimensional models of physical components. CAD software has all but replaced the T-squares and protractors used by the designers of yesterday in a process known as manual drafting, the traditional "pencil on paper" approach to engineering and design. may include but not limited to: AutoCAD, Inventor, Revit, Solid works, ProSteel, XSteel and starting AutoCAD.

2.1.2 Key features CAD software

The key features of CAD software that you should be aware of.

1. 3D Presentations

Visualizing your layouts can be challenging especially if you're forced to look at it on a flat surface. But with CAD software, you can see your designs come to life through 3D rendering. Currently, there are limited tools that allow you to model your layouts in 3D. Thus, it is important that you keep an eye out for this feature during your selection. Through CAD software, you can present your designs in 3D. This lets you visualize your layouts in a more detailed and comprehensible view. This gives you a clearer idea of how your designs will look like in reality.

2. Smart tools

Smart or automated tools are one of the general features of CAD software. It simplifies the creation process by automating certain tasks. This may include shape and dimension manipulation, design configurations, alignments, accuracy, and precision check, and more. Software with 3D rendering can also automatically compute measurements and angles in your layouts. This ensures that your models have no issues or setbacks once the actual building process starts. These tools make designing easier, faster, and more reliable compared to the manual drafting process. It lets you focus on conceptualizing ideas and visions, while the software takes charge of the necessary details to make sure that your ideas can work smoothly.

3. Preset models

Like other designing and creation software, CAD software can also offer preset models for your layouts and designs. This serves as your template or reference for your project. In this way, you can quickly create blueprints and models without needing to start from scratch. Others have a library of premade models of certain parts like bolts and nuts, or essential layout features like doors and shelves. You can then easily insert these premade parts into your designs. This reduces time spent on worrying about smaller details in your designs while also reducing chances of making mistakes.

4. Collaboration tools

One of the biggest perks of digitization is the easy and convenient way to share and transfer files from one device to another. And with the rise of the internet, file sharing has become even more accessible.

5. Simulation tools

Seeing your models in 3D has a lot of benefits. It lets you pick on minute details that you tend to overlook in 2D models. Likewise, you have a better and realistic picture of how your concept will look once it is turned into reality. Most importantly, you can simulate the different conditions or situations in your layouts through CAD software.

While not all solutions in the CAD software list have simulation tools, this is one feature that you need to look out for. This allows you to test your designs before you can start building them to make sure everything is in working order. Likewise, it reduces chances of encountering issues and setbacks with your layouts in the long run.

2.2 2-D DRAWINGS, 3-D MODELS IN CAD PROCESSES

2.2.1 Two-Dimensional CAD

2D CAD models are what most of us are familiar with. These models are flat, two-dimensional drawings that provide overall dimensions, layouts, and information needed to reproduce or build the subject. Examples of these types of drawings are found in a variety of industries, including aerospace, architecture, automotive, cartography, civil engineering, interior design, landscaping, and even fashion. 2D drawing means It has length and width. Three-dimensional object describes a number of two-dimensional objects is called 2D drawing.

AutoCAD can be start by either of the following method

- Double click on the AutoCAD icon or
- Right click on Auto cad icon on the desktop then select open from the option we find. Or
- Selecting it from start menu, then program, Autodesk, click AutoCAD 2007 etc.,

A. Graphic Window





Figure 2.1 Graphic Window


B. Visual Reference

The method we just used to create the freehand sketch is known as the interactive method, where we use the cursor to specify locations on the screen. This method is perhaps the fastest way to specify locations on the screen. However, it is rather difficult to try to create a line of a specific length by watching the displayed coordinates. It would be helpful to know what one inch or one meter looks like on the screen while we are creating entities. AutoCAD® 2007 provides us with many tools to aid the construction of our designs. We will use the GRID and SNAP options to get a visual reference as to the size of objects and learn to restrict the movement of the cursor to a set increment on the screen. The Status Bar area is located at the bottom of the AutoCAD® drawing screen. The words SNAP, GRID, ORTHO, POLAR, OSNAP, OTRACK, DUCS, LWT and MODEL appearing to the right of the coordinates are buttons that we can left-click to turn these special options ON and OFF.




GRID On

1. Left-click the **GRID** button in the *Status Bar* to turn **On** the *GRID* option. (Notice in the command prompt area, the message "<Grid on>" is also displayed.)



2. Move the cursor inside the graphics window, and estimate the distance in between the grid points by watching the coordinates display at the bottom of the screen.




Command Window: - is where you enter commands by typing and where AutoCAD displays prompt and messages

Executing commands:

-To execute Auto Cad commands, use one of the following

- ✓ Select a corresponding tool icon from one of the tool bars or
- ✓ choose an item from pull down menu bar or
- ✓ Type the command at the command prompt.

Drawing limits can be done by



- ✓ Write the word `limits` on command line ----- enter. 
- ✓ Specify lower left corner 0,0 ----- enter.
- ✓ Specify upper right corner 21 0,297 ----- enter.
- ✓ Write Z for zoom ----- enter.
- ✓ Write A for all----- enter.

- ✓ Right click on grids, and click on setting -adjust snap space and grid space 10 each of them
- ✓ Finally click ok. Now you are ready to draw any picture

C. Construction of 2D drawings using coordinate systems

Changing to the 2D UCS Icon Display

- ❖ In AutoCAD® 2007, the UCS icon is displayed in various ways to help us visualize the orientation of the drawing plane.



1. In the pull-down menus, select:

**[View] → [Display] →
[UCS Icon] → [Properties]**

D. 2D drawing can be drawn either one of the following four method

1.Direct Entry methods: -

- ✓ It is Used to draw only vertical and horizontal line.
- ✓ Give Distance (Length) of the line then show direction. Or distance + direction

Procedure: -

- ❖ Select Line from Draw Menu bar Or Draw Tool Bar
- ❖ Click At Any Point on The Graphic Window.
- ❖ Show The Direction and Write the Dimension. Then Enter finally.

Example: -. Practice to draw the figure given below with this method




Fig 2.2 2D drawing

2.Polar coordinate system:


it is used to draw vertical, horizontal and inclined line.

- ❖ It is length +angle

That is @ Length < angle

Exercise: - write the steps and draw the figure given below.

1. To draw AB @ 35<0 enter key
2. To draw BF @ 35 <60 enter key -
3. -----
4. -----
5. -----




6. To draw EA @ 35 <360 enter key -

3. Rectangular or relative coordinate system: -

It Can be given by @x, y which means @and any number x and y


Exercise: - write the steps and draw the figure given below using this method

1. To draw line AB @ 0,57 enter
2. To draw line BC@ 57,63 enter
3. To draw line CD @
4. To draw line EF @
5. To draw line FG @
6. To draw line GH @



4. Absolute coordinate system

Absolute and Relative Coordinates




AutoCAD® 2007 also allows us to use *absolute* and *relative coordinates* to quickly construct objects. **Absolute coordinate values** are measured from the current coordinate system's origin point. **Relative coordinate values** are specified in relation to previous coordinates.

➤ Note that the *coordinate display area* can also be used as a toggle switch; each left-mouse-click will toggle the coordinate display *on* or *off*.

It is drawn by x, y co-ordinate system only that is (x, y)

1. TO draw AB use 0,106
2. TO draw BC, use 106,49
3. TO draw CD, use 106,0
4. TO draw DA use 0,0
5. close -enter



2.2.2 Command of Drawing tool bar

A. Draw command



1) LINE COMMAND: - it helps to draw any figure you like.

- TO activate line: - select line from draw tool bar
 - Or Select line from draw menu bar
 - Or write line on command line


2) CIRCLE COMMAND; - help to draw any circle

TO activate circle: -

- ✓ Select circle from draw tool bar
- ✓ Or select circle from draw menu bar
- ✓ Or write circle on command line
- ✓ Specify center point
- ✓ Write `d` or `r` for diameter or radius you like to do
- ✓ Specify diameter or radius circle


➤ POLYGON COMMAND

- ✓ Select POLYGON from draw tool bar
- ✓ Or Select POLYGON from draw menu bar
- ✓ Or write POL on command line
- ✓ Enter number of sides
- ✓ Specify center of polygon
- ✓ Enter an option circumscribed about circle or inscribed in circle (I) enter
Specify radius of circle e.g., 30 then right click or enter




RECTANGLE COMMAND

- ✓ Select RECTANGLE from draw tool bar
- ✓ Or Select RECTANGLE from draw menu bar




- ✓ Or write REC on command line
- ✓ SPECIFY first point by click some where you like.
- ✓ Write `dim` for the value of dimension then right click or enter
- ✓ Specify the length rectangle e.g., 30mm
- ✓ Specify the width of the rectangle e.g. 20mm



4. Arc Command

- Select arc from draw menu bar
- Select one of the methods Examples, Start - Center -End then enter.



Hatching command

- ❖ Select section from modify menu or
- ❖ Select section from tool bar menu or
- ❖ Type section on command line. -- enter key
- ❖ Select gradient from draw dialog box - Right click or enter key
- ❖ Specify pick point
- ❖ Locate (pick) the internal part

- Or
- ❖ Select trim command
- ❖ Select the whole object right click
- ❖ Click on the line to be trim

Copy command

- ❖ Select copy from modify menu or
- ❖ Select copy from tool bar menu or
- ❖ Type copy on command line --. enter key
- ❖ Select the object
- ❖ Right click or enter key
- ❖ Specify base point
- ❖ Finally locate or give the distance enter key

Do one more exercise

Move command

- ✓ Select move from modify menu or
- ✓ Select move from tool bar menu or
- ✓ Type moves on command line ----. enter key
- ✓ Select the object by widow box- Right click or enter key
- ✓ Specify base point
- ✓ Finally locate or give the distance enter key

Fillets command


- ✓ Select fillet from modify menu or
- ✓ Select fillet from tool bar menu or
- ✓ Type fillet on command line --. enter key
- ✓ Specify radius of fillet ---R— then enter key.
- ✓ Type the number you need e.g. 25 enter key
- ✓ Select the first line and then the second line

Rotate command

- Select rotate from modify menu or

- Select rotate from tool bar menu or
- Type rotates on command line ---. enter key
- Select the object by widow box- Right click or enter key
- Specify base point of the given figure
- Specify angle of rotation ---- e g. 15 0 then enter key

N.B Practice the commands by drawing closed wrench given below



Chamfer command


- Select chamfer from modify menu or
- Select chamfer from tool bar menu or
- Type chamfer on command line--- enter key.
- Type A (angle) Right click or enter key
- Specify length of chamfer ---- e.g. 2.5 enter key
- Specify chamfer angle ---- e.g. 45 0 enter key

E.g., Draw and practice the given figure below (use rectangle command)

Mirror command


- Select mirror from modify menu or
- Select mirror from tool bar menu or
- Type mirror on command line. --- enter key
- Select the object by widow box- Right click or enter key
- Specify base point
- Finally locate or give the distance enter key

E.g. practice the given drawing below for Mirror command



Array command

- Select Array from modify menu or
- Select Array from tool bar menu or
- Type Array on command line --. enter key
- Pick “polar array “on plane box -- enter key
- Specify no of items—e.g. 4
- Select pick center point
- Locate center circles
- Click on select the object then ok
- E.g., Draw and practice the given figure below.



ARRAY: This creates multiple copies of objects in pattern. Arrays are three types.



a) Rectangular Array b) Path Array c) Polar Array



Rectangular Array: In this, the object is arranged in an array of rows and columns. At the command prompt: type ARRAYRECT or select the option from MODIFY toolbar. It asks you to



select objects. Select the object and press enter. By default, it shows an array of 3 rows and 4 columns. The no. of rows and columns can be changed by selecting the Count.

Polar Array: In this, an object is arranged in a circular shape. At the command prompt: type ARRAYPOLAR or select the option from MODIFY toolbar. Then select object to be arrayed. Then select the center point of array. By default, a six items array is created. The No. of items can be changed by selecting the Items option. Angle between the two items can also be changed.

The following figures are two-dimensional drawing. Then perform this 2D drawing by cad 2007 or other at the end of UC.










Fig 2.3 D drawing review Questions

2.2.3 3D models in CAD processes

3D CAD models have uses similar to those of 2D CAD models. Then why the distinction? A three-dimensional CAD model provides greater detail about the individual components and assemblies of a physical object. In other words, 3D models show you how something fits together and operates rather than just how big it is and its overall shape

Conceptualization: A model made for design is known as parametric. It means that every dimension, relation, feature, and step defining the model is shown on history-based management. Regular drafting is a tedious and rigid method. Prone to many errors it hinders the process quality and final result. Everything that took so much trouble in the past now is solvable automatically in few steps. As a clear case, technical drawings can be quickly generated from a model. CAD software not only deals efficiently with models, but with entire assemblies and

complex surface geometries that would otherwise need outstanding drafting expertise to draw manually.


Visualization

CAD interfaces offer a clear view of how the design should look from every angle and scale. Having your model on a 3D space helps the designer have a clear idea of the final result. To make it even better, visualization tools go beyond just that. It's possible even to control transparency and wireframe views, letting you seeing hidden edges.


You can even create scenes with photo-realistic rendering, which is used for presenting your project for marketing goals like funding and sales.


Isometric Drawing

- To do this drawing apply the following.
- Limit your drawing area first
- Right click on grid
- Select setting
- Select isometric snap Then ok.
- Finally, you will find the curser angle is changed.
- In this type of drawing even inclined angle is drawn by 300, 1500, 2100, 3300, and vertical line is drawn by 900 and 2700 degrees
- To draw Isometric drawing
- Select ellipsis
- Type I and enter key
- Specify center point
- Specify the (side top/right /left) by function key (F5)
- Specify the radius



Exercise the following 3D drawing









Figure 4-1-E Angle bracket



Fi




Fig.2.4 3D drawing Review questions

2.3 PERIPHERAL EQUIPMENT AND SOFTWARE PROGRAMS COMPATIBILITY

2.3.1 Peripheral Equipment

Peripheral equipment refers to non-essential devices or equipment connected to a host computer, usually externally, in order to extend its capabilities. Peripheral equipment may not be essential to the computer's operation, but it's often needed in order for a user to interact with the computer.

What are examples of peripheral equipment?

Computer peripheral device

- Monitor.
- Keyboard.
- Mouse.
- Trackball.
- Touchpad.
- Pointing stick.
- Joystick.
- Light pen

2.3.2 Software Programs Compatibility

Compatibility is the capacity for two systems to work together without having to be altered to do so. Compatible software applications use the same data formats. For example, if word processor applications are compatible, the user should be able to open their document files in either product

Self-Check 2

Directions: Answer all the questions listed below. Use the Answer sheet provided in the next page:

I. choose the correct answer for given alternative (5 point each)

1, Which one of the following is the capacity for two systems to work together without having to be altered to do so.

A, production specification B), application specification C) Compatibility

2. Which one of the following is no longer an extra aid, but a must for the design process

A,) Performance specifications B), Computer-Aided Design (CAD) C) Application Specification

3. Which one of the following that provide overall dimensions, layouts, and information needed to reproduce or build the subject.

A) Two-dimensional drawings B,) 3D specification C,) Application drawing

II. Answer the following questions (3point each)

1. Sketch 2D drawing that appear in figure Figure A by using cad.




Figure A

2. Sketch 3D drawing that appear in figure Figure (B) by using cad.




Figure A

III. Say true or false (5 point each)

1. Smart or automated tools are one of the general features of CAD software.
2. CAD software has all but replaced the T-squares and protractors used by the designers of yesterday in a process known as manual drafting.

Operation Title: Created 3d Cad Drawings

Instruction: follow the following instruction to make Created 3D CAD drawings

Purpose: To make 3D CAD drawings from a given drawings by following cad procedures.

Required tools and equipment: AutoCAD 2007/2020 /2019 etc.

Precautions:

- Understand the given drawing
- Adjust properly necessary command tool on graphic window.

Steps:

Step1. Set the limits of the drawing screen

Step 2. Open graphic window

Step 3. Put ortho on where ever necessary. Use the required modify tool bar commands like trim,

Step 4. Adjust command tool.

Step 5. Construct 2D drawing.

Step 6. Select the extrude command from the 'Home' tab of the AutoCAD ribbon, pick the 3D polyline from the previous step and then type 90 as the height of extrusion to create a 3D solid




Fig 2.4 3D CAD drawings

LAP Test

Two-Dimensional Drawing

Name: _____

Date: _____


Time started: _____

Time finished: _____

Instruction I: Given necessary command tools and software you are required to perform the following tasks within 2 hours.

. You are required to do the following activities as required in the problem

Task 1: Two-dimensional drawing



Unit three: Software and Set Up for Drawing Work

This learning unit is developed to provide the trainees the necessary information regarding the following content coverage and topics:

- Opening CAD software
- Organizational and software templates
- Symbols, codes and standards

This unit will also assist you to attain the learning outcomes stated in the cover page. Specifically, upon completion of this learning guide, you will be able to:

- Opening CAD software
- Identifying organizational and software templates
- Identifying symbols, codes and standards

3.1 OPENING CAD SOFTWARE

Opens CAD is an open-source parametric software, that can be used to create 2D designs, and 3D models. It is a great tool to make 3D objects designed for additive manufacturing. While using Opens CAD, you can't modify directly with your mouse the CAD model that is in the viewer

AutoCAD can be start by either of the following method

- Double click on the AutoCAD icon or
- Right click on Auto cad icon on the desktop then select open from the option we find. Or
- Selecting it from start menu, then program, Autodesk, click AutoCAD 2007 etc.,

Graphic Window





Figure 3.1 Graphic window

Command Window: - is where you enter commands by typing and where AutoCAD displays prompt and messages Executing commands:

-To execute Auto Cad commands, use one of the following

- ✓ Select a corresponding tool icon from one of the tool bars or
- ✓ choose an item from pull down menu bar or
- ✓ Type the command at the command prompt.

Drawing limits can be done by

- ✓ Write the word `limits` on command line ----- enter. 
- ✓ Specify lower left corner 0,0 ----- enter.
- ✓ Specify upper right corner 21 0,297 ----- enter.
- ✓ Write Z for zoom ----- enter.
- ✓ Write A for all----- enter.
- ✓ Right click on grids, and click on setting -adjust snap space and grid space 10 each of them
- ✓ Finally click ok. Now you are ready to draw any picture

3.2 ORGANIZATIONAL AND SOFTWARE TEMPLATES

Templates in AutoCAD is a baseline for your work. It helps you to easily create a future drawing without initial settings. Using templates reduces work time, reduces the chance to make mistakes in settings and makes uniformity to every work in a single project

A drawing template enables you to create exact circles, squares, lines, arcs, and more without reaching for a compass, ruler, or protractor. It's a necessary tool for executing clean-lined blueprints, sketches that demand precision, or crisp compositions for bullet journals

3.3 SYMBOLS, CODES AND STANDARDS

Some Basic Definitions

In AutoCAD, symbols and details that you insert into drawings are called *blocks*. A block is a collection of geometric and text objects plus other data that are combined into a single *named object*. The following are some examples of a variety of blocks at different scales. Symbols can be inserted in text using one of the following methods: In the In-Place Text Editor, right-click and click Symbol

Line-thickness

Thickness for pens and plot: 0.13 mm Gray, 0.18 mm Red, 0.25 mm White, 0.35 mm Yellow, 0.50 mm Magenta, 0.70 mm Blue, 1.00 mm Green. In AutoCAD usually parts to be printed in black are drawn in 1 to 7 basic colors. Color layer: Green-Center, Magenta-Measure of length and Blue-Hidden.

Description	Line thickness in mm	Color Codes
Out Line	0.20 or 0.25	White, Cyan, Yellow, Blue
Hidden Line	0.00 or 0.05	Blue, Gray, 241

Center Line	0.10 or 0.15	Green, Red, Blue
Note	0.18 or 0.20	White, Cyan, Green, 41
Thin Line	0.00 or 0.05	Gray, 08, 111
Reference Line	0.000	Magenta, Gray
Hatch Line	0.000	Magenta, Green, Gray, red
Color-9 to 256	0.000	
Dimension line		
Leader Line with Arrows	0.000	Gray Color-9, or 8, Red
Text	0.18 or 0.20	Cyan, Green

Text and dimension

Heights: 2.5 mm, 3.5 mm, 5.0 mm, 7.0 mm (stroke thickness (line weight) should be 0.1 of the character height). Font styles: "Romans.shx - Romantic Simplex", "ISOCPEUR.ttf". Exceptional use of screen fonts (arial, Times New Roman etc.).

Scales

- 2:1, 20:1, 200:1 ...
- 1:1, 1:10, 1:100 .1|8}} in = 1 ft
- $\frac{3}{16}$ in = 1 ft
- $\frac{1}{4}$ in = 1 ft
- $\frac{3}{8}$ in = 1 ft
- $\frac{1}{2}$ in = 1 ft
- $\frac{3}{4}$ in = 1 ft
- 1 in = 1 ft
- $1+\frac{1}{2}$ in = 1 ft
- 3 in = 1 ft (QUARTER SCALE)
- 6 in = 1 ft (HALF SCALE)
- 1 ft = 1 ft (FULL SCALE)

Self-Check -3

Directions: Answer all the questions listed below. Use the Answer sheet provided in the next page:

I. choose the correct answer for given alternative (5 point each)

1. Which one of the following is an open-source parametric software, that can be used to create 2D designs, and 3D models
A, Opens CAD B), application CAM C) 2D
2. Which one of the following is a collection of geometric and text objects plus other data that are combined into a single *named object*.
A,) Performance specifications B), A block (CAD) C) Application Specification
3. Which one of the following is reduces work time, reduces the chance to make mistakes in settings and makes uniformity to every work in a single project A) Using templates B,) 3D specification C,) Application drawing

Unit Four. Produce Basic Drawing Element

This learning unit is developed to provide the trainees the necessary information regarding the following content coverage and topics:

- Basic drawing elements
- Editing and transfer tools and methods
- Dimensions, text and symbols
- Importing and exporting files
- Generating different views and perspectives

This unit will also assist you to attain the learning outcomes stated in the cover page. Specifically, upon completion of this learning guide, you will be able to:

- Use CAD functions to produce *basic drawing elements*
- Use *editing and transfer tools and methods* to modify drawing elements
- Apply dimensions, text and symbols to drawing elements
- Perform Import and export files into/out of working space
- Identify different views and perspectives

4.1 Basic drawing elements

The most common elements include line, shape, texture, form, space, color and value, with the additions of mark making, materiality, Points, angles, circles, arcs, planes, figures and solids, Squares, rectangles and triangles, Bisected lines and dividing lines Polygon, ellipse, spline, dimension and hatch. It is merged (described detail 2D ON the above) on 2.2.1 2D

4.2 EDITING AND TRANSFER TOOLS AND METHODS

Essential Commands of Modify Panel in AutoCAD


- Move (M+Enter)
- Rotate (RO+Enter)

- Copy (CO+Enter)
- Mirror (M+Enter)
- Stretch.
- Scale (SC+Enter)
- Trim (TR+Enter)
- Extend (EX+Enter)


Description. When the file specified by the File parameter names an existing file, the **edit command copies** it to a buffer and displays the number of lines and characters in it. It then displays a: (colon) prompt to show that it is ready to read subcommands from standard input

The **Transfer Tool** feature **transfers features lists for the packages that you select**. To copy a package, perform the following steps: Select the packages to copy in the table under the Packages heading. Select the checkbox in the table header to select all of the packages from the remote server


Move Command 10.1

1. **Choose** Modify, Move.
or
2. **Click** the Move icon. 
or
3. **Type** MOVE at the command prompt
Command: **MOVE or M**
4. **Pick** Objects to move
Select objects: **(select)**
5. **Pick** A point to move from
Base point or displacement: **(pick point)**
6. **Pick** A point to move to
Second point of displacement: **(pick point)**

Circle before move




Circle after move




TIP:

To move an object a specified distance, type a distance at the second point of displacement prompt: **@1<0**

Duplicate objects copied




Multiple objects copied



TIP:


- To copy many objects in the same copy command, type M for Multiple at the "Base point or displacement/Multiple" option.

Copy Command 10.2

- Choose** Modify, Copy.
- Click** the Copy icon. 
- Type** COPY at the command prompt.
Command: **COPY or CP**
- Pick** Objects to copy.
Select objects: (**select**)
- Pick** A point to move from.
Base point or displacement/Multiple: (**pick point**).
- Pick** A point to copy to.
Second point of displacement: (**pick point**)
or
- Type** A point to copy to.
Second point of displacement: **@ 1<0**


Offset Distance

To offset a specified distance:

1. **Choose** Modify, Offset.
or
2. **Choose** the Offset icon. 
or
3. **Type** OFFSET at the command prompt.
Command: **OFFSET** or **O**
4. **Type** The distance to offset.
Offset distance or <Through point>: (**number**)
5. **Pick** The object to offset.
Select object to offset: (**select object**)
6. **Pick** A side to offset object to.
Side to offset: (**pick side**)
7. **Pick** Another object to offset
Select object to offset: (**pick side**)
or
1. **Press** Enter to end the command.


1. **Press** Enter to end the command.

Offsetting objects by specifying a distance



4.3. APPLYING DIMENSIONS, TEXT AND SYMBOLS

A linear dimension can only be drawn horizontally or vertically. An aligned dimension, on the other hand, can be drawn at every angle. The dimension line will thus run parallel to the dimension starting and end point.



- First specify the text height before any dimensioning is taken place
- To do this click format ---text style ---give text height--- apply and close

4.3.1. Linear dimensioning:

- *Help for vertical and horizontal line dimensioning*
- *Select linear from dimensioned menu*
- *Or select linear from dimensioned tool bar*
- *Or write linear on command line*
- *Specify first extension line (origin)*
- *Specify first extension line*

4.3.2 Aligned dimensioning: -

- *Used only for inclined object*
- *Select Aligned from dimension menu*
- *Or Select Aligned from dimension tool bar*
- *Or Write Aligned on command line*
- *Specify first extension line (origin)*
- *Specify first extension line*

1. Linear dimensioning



2. Aligned dimensioning



N.B. Practice all the dim. Style by yourself!!

Dimension editing

- Select Dimension editing from dimension task bar
- Select the option (oblique, New, rotate, home)
- Write new (N) – enter key
- Cancel (< >) from the dialog box – then OK
- Right click then enter key

exercise: -

Object snap tool bar

- To set running object snaps
- Click Tools menu » Drafting Settings.

- In the Drafting Settings dialog box, Object Snap tab, select the object snaps you want to use.
- E.g., Select all Click OK.

To display the object snap menu

1. Enter any command that prompts you to specify a point. For example, enter **line**.
2. At the From Point prompt, hold down SHIFT and right-click.
The object snap menu is displayed, and you can click an object snap option.

Entering Text

Or to specify a text style when you create single-line text

Click Draw menu » Text » Single Line Text.

Enter s (Style). Or text height

THEN OK

4.4. IMPORTING AND EXPORTING FILES

The Export command creates a CAD-compatible DXF or DWG file from the current AGi32 job file. While other CAD programs can use the CAD files created from AGi32, the format is constructed specifically to standards. The exported CAD file consists of layers containing drawing entities and text representing all of the lighting specific data in the AGi32 files. These files can be easily merged into existing drawings.

Please note that the process of creating a CAD file simply produces an additional file formatted to the selected CAD format - DWG or DXF. Your original AGi32 file is not altered in any way. Exporting a CAD file is not a replacement to saving your original AGi32 file. You should always save your AGi32 file with any current changes. A CAD file has no lighting or surface information inherent inside, and lighting metrics present in a CAD file are not modifiable in AGi32. Its purpose is to combine with other existing CAD drawings for presentation only

Saving in AutoCAD File Format (DWG/DXF)

1. On [File] menu, click [Export] - [Export to DXF File] / [Export to DWG File]. [Export] dialog box will be displayed.
2. Select a saving location.

3. Enter a file name in [File Name] box.
4. Click [Save] button. The drawing created in RootPro CAD will be saved as an AutoCAD drawing file.

To export and import tool palettes in AutoCAD

1. On any drawing, enter CUSTOMIZE to open the Customize window.
2. Right-click a tool palette and choose Export.
3. Choose a location to save the.
4. On the target system (or on the target program), enter the CUSTOMIZE command.
5. Right-click on any palette name and choose Import

4.5. GENERATING DIFFERENT VIEWS AND PERSPECTIVES



perspective in CAD: AutoCAD allows to switch to a perspective (perspective view of a 3D scene) in several ways: The DVIEW command with the Distance option (resp. Points and Distance) The 3DORBIT command, right-click:

To Display a Preset 3D View

1. Click View tab Views panel View Manager. Find. The View tab is not displayed by default, so an alternative method is to enter VIEW at the Command prompt. You can also employ the View Cube in the top-right corner of the drawing area.
2. Select a preset view (Top, Bottom, Left, and so on

Select predefined standard orthographic and isometric views by name or description.

A quick way to set a view is to choose one of the predefined 3D views. You can select predefined standard orthographic and isometric views by name or description. These views represent commonly used options: Top, Bottom, Front, Left, Right, and Back. In addition, you can set views from isometric options: SW (southwest) Isometric, SE (southeast) Isometric, NE (northeast) Isometric, and NW (northwest) Isometric. To understand how the isometric views work, imagine you are looking down at the top of a box. If you move toward the lower-left corner of the box, you are viewing the box from the SW Isometric View. If you move toward the upper-right corner of the box, you are viewing it from NE Isometric View.



To Choose a Preset View

Self-Check -4

Self-Check -4	Written Test
---------------	--------------

Directions: Answer all the questions listed below. Use the Answer sheet provided in the next page:

I. choose the correct answer for given alternative (5 point each)

- Which one of the following is consists of layers containing drawing entities and text representing all of the lighting specific data in the AGi32 files
A, Opens CAD B), The exported CAD file, C) 2D CAD operation
- Which one of the following is a linear dimension can only be drawn horizontally or vertically.
A,) Performance specifications B), A linear dimension C) An aligned dimension
- Which one of the following is an aligned dimension, on the other hand, can be drawn at every angle
A) Using compass B,) 3D specification C,) An aligned dimension

Unit five. Complete CAD operations

This learning unit is developed to provide the trainees the necessary information regarding the following content coverage and topics:

- Saving drawing elements
- Printing drawing elements

This unit will also assist you to attain the learning outcomes stated in the cover page. Specifically, upon completion of this learning guide, you will be able to:


- Perform Saved and filed drawing elements according to organizational procedures
- Perform Print and evaluate drawing elements presentations

3.1 SAVING DRAWING ELEMENTS

Save As

1. Go to the File menu and select Save As. The Save Drawing dialog box opens:
2. Browse for the location where you wish to save your drawing. ...
3. You can also choose how to view your files by clicking Choose view in the top right corner:
4. Name/rename the drawing in the File name field.
5. Click the Save button.

Saving the CAD Design




1. In the pull-down menus, select:

[File] → [Save As]

❖ Note the command can also be activated with quick-key combination of **[Ctrl]+[Shift]+[S]**.

2. In the **Save Drawing As** dialog box, select the folder in which you want to store the CAD file and enter **GuidePlate** in the *File name* box.




3. Pick **Save** in the **Save Drawing As** dialog box to accept the selections and **save** the file.


5.2. PRINTING DRAWING ELEMENTS

Plotting (printing) Drawing

Once your page setup has been created, you are ready to print your drawings. From the Ribbon **Output** tab > **Plot** panel, click the **Plot** button.



Command line: To start the **Plot** tool from the command line, type “**PLOT**” and press [Enter]. From the **Page Setup** list, select your newly created page setup and click **OK** to plot using the selected settings.



ADDITIONAL OPTIONS

There are some additional settings in the **Plot** dialog box that aren't available in the **Page Setup** dialog box.

Initially the **Plot** model will only show a few of the options. In the bottom right corner, click the **More Options** button to show the full properties.

Paper size
ISO A4 (210.00 x 297.00 MM)

Number of copies
1

Plot area
What to plot:
Display

Plot offset (origin set to printable area)
X: 11.55 mm ☐ Center the plot
Y: -13.65 mm

Plot scale
☒ Fit to paper
Scale: Custom
1 mm
33.34 units
☐ Scale lineweights

Preview... Apply to Layout OK Cancel Help

Plot - Model

Page setup
Name: <None> Add...

Printer/plotter
Name: DWG To PDF.pc3 Properties...
Plotter: DWG To PDF - PDF ePlot - by Autodesk
Where: File
Description:
☒ Plot to file

Paper size
ISO A4 (210.00 x 297.00 MM)

Number of copies
1

Plot area
What to plot:
Display

Plot offset (origin set to printable area)
X: 11.55 mm ☐ Center the plot
Y: -13.65 mm

Plot scale
☒ Fit to paper
Scale: Custom
1 mm
33.34 units
☐ Scale lineweights

Plot style table (pen assignments)
None

Shaded viewport options
Shade plot: As displayed
Quality: Normal
DPI: 100

Plot options
☐ Plot in background
☒ Plot object lineweights
☐ Plot transparency
☒ Plot with plot styles
☒ Plot paperspace last
☐ Hide paperspace objects
☐ Plot stamp on
☐ Save changes to layout


Drawing orientation
☒ Portrait
☐ Landscape
☐ Plot upside_down

Preview... Apply to Layout OK Cancel Help

Additional tools can be found in the **Plot options** section and include:

Plot in background, with this option un-ticked, the plot progress will display when you click **OK**. If this is ticked the progress will be hidden and you will be able to continue working in AutoCAD.

Plot stamp on will place a plot stamp on the drawing. Ticking this option will show a button to configure the plot stamp.



Clicking the button will show the **Plot Stamp** dialog where you can choose information, including Date and Time, drawing name and Plot scale, to be printed on the drawing.

Save changes to layout If changes are made to the layout such as changing the printer, the changes will be saved to the **Page Setup**.

PRINT FORMATS

During the process of a construction project, you will need to print hard-copy drawings, whether for planning consent, issuing drawings to other members of the design team, or when requesting information. More commonly drawings are issued as digital copies via e-mail or a web portal. Issuing the Drawing file as an editable format is not recommended because the file can be modified by the recipient and, when printed, may not display as intended. By default, AutoCAD includes printers for four non-editable formats: **DWF6 plot** creates an Autodesk **Drawing Web Format** (.DWF) file. This is a vector format developed by Autodesk to print non-editable files in a lightweight format. A free viewer from Autodesk can be used to view these files. The free viewer is installed by default when installing AutoCAD.

DWG to PDF creates an Adobe **Portable Document Format** (.PDF). This is an extremely common format used by most industries to issue non-editable files. A free viewer from Adobe can be used to view these files and is pre-installed on many PCs and laptops.

Publish To Web JPG will create a JPG image file. The file is a raster format which, when zooming in, will degrade in quality. This format is not recommended for issuing drawings but can be useful for adding images to reports.

Publish To Web PNG will create a PNG image file. Similar to JPG, PNG is a raster format but is un-compressed and designed for exchanging images on the web. This is also not recommended for issuing drawings or using within a printing system that requires CMYK colours.

Self-Check -5[u1]

Self-Check -5	Written Test
---------------	--------------

Directions: Answer all the questions listed below. Use the Answer sheet provided in the next page:

I. Perform 3D drawing that listed below in figure D




Figure D

LAP Test: Draw 3D drawing listed below in figure F by using cad and Save in the desk top

Name: _____

Date: _____

Time started: _____

Time finished: _____

Instruction I: Given necessary templates, tools and materials you are required to perform the following tasks within 1 hours.

Task 1

Aim: to draw the following figure using ACAD

COMMANDS USED

Line, Drafting commands, Dimension aligned, Dimension linear, Dimension oblique, Layers

Command: _line

Specify first point: <Isoplane Left>

Specify next point or [Undo]: 12

Specify next point or [Undo]:

<Isoplane Top> 25


Command: _qsave

Command: _dimlinear

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or



[Mtext/Text/Angle/Horizontal/Vertical/Rotated]:

Dimension text = 12.0000

Command: _dimaligned

Specify first extension line origin or <select object>:

Specify second extension line origin:

Specify dimension line location or [Mtext/Text/Angle]:

Dimension text = 25.0000

Command: _dimedit

Figure F

Reference [u2][u3]

1. <https://s29422.pcdn.co/wp-content/uploads/2019/04/TD-CADManual.pdf>
2. <https://mrcet.com/pdf/Lab%20Manuals/ANE%20II-I%20SEM.pdf>
3. <https://static.sdcpublishations.com/pdfsampl/978-1-63057-339-3-1-cw77gw9lwo.pdf>
4. <https://images-na.ssl-images-amazon.com/images/I/C1BxaOC0-IS.pdf>

Refence Book:



Note:

This reference book must be put on your desk top or local disk C/D etc. then you can open.
Unless cannot open.

Developers Profile

No	Name	Qualification (Level)	Field of Study	Organization/ Institution	Mobile number	E-mail
1	W/medhina Andualem	A	Manufacturing Technology	Debre Markos Poly Technic college	091300808488	Kenuandu1621@gmail.com
2	WALIYI BENA	A		AKPTC	0912305425	waliyibena2019@gmail.com
3	Biruk Dessie	B	Mechanical Engineering	A.A Tegbaried Poly Technic College	0913419004/0967733412	birukdesie27@gmail.com
4	Gossa Firiesenbt	A	Manufacturing Technology	DRIE DAWA POLYTECHNIC COLLEGE	0923179949	firesenbtgosa@gmail.com